AIR6N0-C-DB NX HDMI20

YUAN

AI Edge for 4K60

Features

- Business Card Size
- 1×HDMI2.0 In & Loop



Specifications

Interface	
Peripheral Communication	8 Pin Phoenix Connector 1×GPIO 1×RS232 (*) 1×I2C 2×6 Pin Header 3×GPIO 1×RS485 1×I2C * Please select either RS232 of 8 Pin Phoenix Connector or UART of 6 Pin Wafer to use
Storage	1×Micro SD Card Slot
Video Capture Resolutions	4096x2160@60/50/30/25/24fps 3840x2160@60/50/30/25/24fps 2560x1440p@144fps 1920x1080p@240/144/120/100fps 1920x1080p@60/50fps 1920x1080p@30/25/24fps 1920x1080i@60/50fps 1280x720p@60/50fps 1280x1024p@60fps 1280x960p@60fps 1024x768p@60fps 800x600p@60fps 640x480p@60fps 720x480p@60fps 720x576p@50fps 720x480i@60fps 720x576i@50fps ※More resolution supported by SDK
Environment	
Power Consumption	TBA
Operating Temperature	0~60˚C with Airflow
Storage Temperature	-20~80˚C
Certification	CE, FCC

Key Points

Video Feature	
Input	1×HDMI2.0
Output	1×HDMI2.0 (Loop)

Mechanical

・Dimension: 90mm × 55mm

I/O Layout

・Carrier Board



* All registered trademarks are the property of their owners. The photo is for reference only.
* Technology License Patent Royalty. Supplier (YUAN Technology Ltd.) as an OEM vendor is not responsible for any royalties applied to the Models and collected by any patent or trade mark holders or his exclusive, non-exclusive.

Licensees or representatives such as MPEGLA, Dolby, Thomson, Sisvel, H.264, MPEG4 and any other natural or legal person. All concerning royalties of patents and trade marks will be paid or negotiated with the above mentioned owner by you. In case of any patent or trademark infringement you are responsible for all necessary processes and costs. You accept and acknowledge that all prices of Models offered by supplier are exclusive of any royalties, charges or license fees for any patents in any countries or areas.